The important thing about DFA is to know that it identifies the acceptance of strings.

A DFA processes a string by starting in the start state and reading the input symbols one at a time. For each input symbol, the DFA transitions to the next state according to the transition function, and it accepts the string if it ends in an accepting state.

An algorithm that describes how a DFA processes a string:

- 1. Start in the start state.
- 2. Read the next input symbol.
- 3. Transition to the next state according to the transition function.
- 4. If the current state is an accepting state, then accept the string.
- 5. If the current state is not an accepting state, and there are no more input symbols to read, then reject the string.
- 6. Repeat steps 2-5 until the end of the string is reached.

For example,


Consider the DFA that identifies whether the given decimal is even or odd.

Here we consider 3 states, one start state qstart, one even state qeven and one odd state

qodd.

If the machine stops at geven the given number is even.

If it stops at qodd the given number is odd.



DFA that identifies ODD and EVEN numbers

	Input Symbol	
State	0, 2, 4, 6, 8	1, 3, 5, 7, 9
qstart	qeven	qodd
qeven	qeven	qodd
qodd	qeven	qodd

References:

• Introduction to the Theory of Computation" by Michael Sipser.

Related Posts:

- 1. Definition of Deterministic Finite Automata
- 2. Notations for DFA
- 3. DFA solved examples
- 4. Definition Non Deterministic Finite Automata
- 5. Moore machine
- 6. Mealy Machine
- 7. Regular Expression Examples
- 8. Regular expression
- 9. Arden's Law
- 10. NFA with \in -Moves
- 11. NFA with \in to DFA Indirect Method
- 12. Define Mealy and Moore Machine
- 13. What is Trap state ?
- 14. Equivalent of DFA and NFA
- 15. Properties of transition functions
- 16. Mealy to Moore Machine
- 17. Moore to Mealy machine
- 18. Diiference between Mealy and Moore machine
- 19. Pushdown Automata
- 20. Remove \in transitions from NFA
- 21. TOC 1
- 22. Diiference between Mealy and Moore machine
- 23. RGPV TOC What do you understand by DFA how to represent it
- 24. What is Regular Expression

- 25. What is Regular Set in TOC
- 26. RGPV short note on automata
- 27. RGPV TOC properties of transition functions
- 28. RGPV TOC What is Trap state
- 29. DFA which accept 00 and 11 at the end of a string
- 30. CFL are not closed under intersection
- 31. NFA to DFA | RGPV TOC
- 32. Moore to Mealy | RGPV TOC PYQ
- 33. DFA accept even 0 and even 1 |RGPV TOC PYQ
- 34. Short note on automata | RGPV TOC PYQ
- 35. DFA ending with 00 start with 0 no epsilon | RGPV TOC PYQ
- 36. DFA ending with 101 | RGPV TOC PYQ
- 37. Construct DFA for a power n, n>=0 || RGPV TOC
- 38. Construct FA divisible by 3 | RGPV TOC PYQ
- 39. Construct DFA equivalent to NFA | RGPV TOC PYQ
- 40. RGPV Define Mealy and Moore Machine
- 41. RGPV TOC Short note on equivalent of DFA and NFA
- 42. RGPV notes Write short note on NDFA
- 43. Minimization of DFA
- 44. Construct NFA without \in
- 45. CNF from S->aAD;A->aB/bAB;B->b,D->d.
- 46. NDFA accepting two consecutive a's or two consecutive b's.
- 47. Regular expresion to CFG
- 48. Regular expression to Regular grammar
- 49. Grammar is ambiguous. $S \rightarrow aSbS|bSaS| \in$
- 50. leftmost and rightmost derivations
- 51. Construct Moore machine for Mealy machine

How do a DFA Process Strings?

- 52. RGPV TOC PYQs
- 53. Introduction to Automata Theory