To convert a Moore machine into an equivalent Mealy machine, we need to modify the transition function so that it takes an input symbol and produces an output symbol.

The output symbol will depend on the current state of the machine and the input symbol.

Algorithm to converts a Moore machine into a Mealy machine:

- For each state Q in the Moore machine, create a corresponding state in the Mealy machine.
- For each transition from state Q to state Q' in the Moore machine, create a corresponding transition from state Q to state Q' in the Mealy machine.
- For each transition from state Q to state Q' in the Moore machine, set the output symbol for that transition to the output symbol for state Q' in the Moore machine.

Convert the following Moore machine to Mealy machine.

Present State	Next State		Output
	$\mathbf{a} = 0$	a = 1	Output
q 0	q1	q2	1
q1	q3	q2	0
q2	q2	q1	1
q3	q 0	q3	1

In Moore machine, each input symbol, have the pair of next state and the output. For q0 output is 1, for q1 output is 0, for q2 output is 1, for q3 output is 1.

So corresponding Mealy machine is as follows,

	Next State				
Present State	$\mathbf{a} = 0$		a = 1		
	Next State	Output	Next State	Output	
q 0	q1	0	q2	1	
q1	q3	1	q2	1	
q2	q2	1	q1	0	
q3	q 0	1	q3	1	

Moore to Mealy Conversion Hindi Video

Related Posts:

- 1. Definition of Deterministic Finite Automata
- 2. Notations for DFA
- 3. How do a DFA Process Strings?
- 4. DFA solved examples
- 5. Definition Non Deterministic Finite Automata
- 6. Moore machine
- 7. Mealy Machine
- 8. Regular Expression Examples
- 9. Regular expression
- 10. Arden's Law
- 11. NFA with ∈-Moves
- 12. NFA with \in to DFA Indirect Method
- 13. Define Mealy and Moore Machine

- 14. What is Trap state?
- 15. Equivalent of DFA and NFA
- 16. Properties of transition functions
- 17. Mealy to Moore Machine
- 18. Diiference between Mealy and Moore machine
- 19. Pushdown Automata
- 20. Remove ∈ transitions from NFA
- 21. TOC 1
- 22. Diiference between Mealy and Moore machine
- 23. RGPV TOC What do you understand by DFA how to represent it
- 24. What is Regular Expression
- 25. What is Regular Set in TOC
- 26. RGPV short note on automata
- 27. RGPV TOC properties of transition functions
- 28. RGPV TOC What is Trap state
- 29. DFA which accept 00 and 11 at the end of a string
- 30. CFL are not closed under intersection
- 31. NFA to DFA | RGPV TOC
- 32. Moore to Mealy | RGPV TOC PYQ
- 33. DFA accept even 0 and even 1 |RGPV TOC PYQ
- 34. Short note on automata | RGPV TOC PYQ
- 35. DFA ending with 00 start with 0 no epsilon | RGPV TOC PYQ
- 36. DFA ending with 101 | RGPV TOC PYQ
- 37. Construct DFA for a power n, n>=0 || RGPV TOC
- 38. Construct FA divisible by 3 | RGPV TOC PYQ
- 39. Construct DFA equivalent to NFA | RGPV TOC PYQ
- 40. RGPV Define Mealy and Moore Machine

- 41. RGPV TOC Short note on equivalent of DFA and NFA
- 42. RGPV notes Write short note on NDFA
- 43. Minimization of DFA
- 44. Construct NFA without ∈
- 45. CNF from S->aAD;A->aB/bAB;B->b,D->d.
- 46. NDFA accepting two consecutive a's or two consecutive b's.
- 47. Regular expresion to CFG
- 48. Regular expression to Regular grammar
- 49. Grammar is ambiguous. S → aSbS|bSaS|€
- 50. leftmost and rightmost derivations
- 51. Construct Moore machine for Mealy machine
- 52. RGPV TOC PYQs
- 53. Introduction to Automata Theory
- 54. Design a NFA that accepts the language over the alphabet, $\Sigma = \{0, 1, 2\}$ where the decimal equivalent of the language is divisible by 3.