

Object-oriented programming is programming based on the concept of objects.

Take an example,

In Code:Block, program looks like this

```
1  #include <iostream>
2  #include <string>
3  using namespace std;
4
5  class Student {          // Class name
6      public:              // Access specifier
7          int id;           // Attribute (int variable)
8          string name;      // Attribute (string variable)
9  };
10
11 int main() {
12     Student obj;          // Object of class Student
13
14     // Access attributes and set values using object
15     obj.id = 30;
16     obj.name = "EasyExamNotes.com";
17
18     // Print values using object
19     cout << obj.id << "\n";
20     cout << obj.name;
21     return 0;
22 }
23
```

In above program, class Student contains the variables id and name.

```
class Student {
    public:
```

```
    int id;  
    string name;  
};
```

To access the variables id and name from the class Student, there is the need of an object for the class Student.

Syntax to create object:

```
ClassName ObjectName;
```

Objects for a class are always created in a function. Here object is created in a main function.

```
int main() {  
    Student obj;  
    return 0;  
}
```

Now with the help of object obj, members of class Student are accessible.

Syntax to access class members using objects:

```
ObjectName.ClassMemberName;
```

Using object obj, assign a value to variable id and name.

```
obj.id = 30;  
obj.name = "EasyExamNotes.com";
```

To print the values of variables code is,

```
cout << obj.id << "\n";  
cout << obj.name;
```


---

C++ program to implement use of object

```
#include <iostream>  
#include <string>  
using namespace std;  
  
class Student {  
    public:  
        int id;  
        string name;  
};  
  
int main() {  
    Student obj;  
  
    obj.id = 30;  
    obj.name = "EasyExamNotes.com";
```

```
cout << obj.id << "\n";  
cout << obj.name;  
return 0;  
}
```

Output



```
C:\MinGW\one.exe  
30  
EasyExamNotes.com  
Process returned 0 (0x0) execution time : 0.662  
Press any key to continue.
```

Now it will be easy to write some theory points on object oriented programming.

- Object oriented programming involve use of object.
- Object is like a key for any class.
- Class members are accessible, only in the function where object is created.
- A class can have more than one object.
- Without class there is no existence of object.

What is class in OOP ?

- A class is like a blueprint for an object.
- Class is like a container, to store data and functions.
- Class is a user defined data type.

- When a class is defined no memory allocated without object.
- In above program, Student is like a variable whose data type is Class.

We will read more about class in the next article.

What is an Object of a class ?

- An Object is an instance of a Class.
- Object makes class members accessible.
- Objects are runtime entities.
- When object is created, memory is allocated to the class.

Some other examples of OOP ?

C++, Python, Java, C Sharp dot net, etc.

### Related Posts:

1. Abstraction and encapsulation
2. Object Oriented Programming & Methodolog Viva Voce
3. How to install compiler for code blocks
4. Differences between Procedural and Object Oriented Programming
5. Features of Object Oriented Paradigm
6. Inheritance in Object Oriented Programming
7. Object Oriented Programming
8. Introduction to Object Oriented Thinking & Object Oriented Programming
9. Difference Between Object-Oriented Programming (OOP) and Procedural Programming
10. features of Object oriented paradigm

11. Merits and demerits of Object Oriented methodology
12. Concept of Objects: State, Behavior & Identity of an object
13. Access modifiers
14. Static members of a Class
15. Instances in OOP
16. Message Passing in OOP
17. Construction and destruction of Objects