

APPLET DIGITAL CLOCK:

```
import java.applet.*;
import java.awt.*;
import java.util.*;
import java.text.*;

public class AppletDigitalClock extends Applet implements Runnable {

    Thread th = null;
    int hours=0, minutes=0, seconds=0, miliSeconds=0;
    java.lang.String timeString = "";

    public void init() {
        setBackground( Color.white);
    }

    public void start() {
        th = new Thread( this );
        th.start();
    }

    public void run() {
        try {
            while (true) {


                Calendar calndr = Calendar.getInstance();
                hours = calndr.get( Calendar.HOUR_OF_DAY );
                if ( hours > 12 ) hours -= 12;
                minutes = calndr.get( Calendar.MINUTE );
                seconds = calndr.get( Calendar.SECOND );
                miliSeconds=calndr.get(Calendar.MILLISECOND);
```

```
SimpleDateFormat formatter = new SimpleDateFormat("hh:mm:ss:ms");
Date date = calndr.getTime();
timeString = formatter.format( date );

repaint();
 th.sleep( 1000 ); |
}
}
catch (Exception e) { }
}

public void paint( Graphics g ) {
    g.setColor( Color.red );
    g.drawString( timeString, 60, 100 );
}
}
```

OUTPUT:



Related Posts:

1. Can Java have same name variable
2. Types of variables in Java programming
3. JAVA and its Support Systems
4. JAVA environment
5. JAVA program structure
6. Tokens
7. Java statements
8. Java virtual machine
9. C++ Versus JAVA
10. Constants and Variables in Java
11. Data types JAVA
12. Defining a class
13. Constructor in JAVA
14. Array in Java
15. Applet

16. Applets Vs Applications
17. Writing applets
18. Applets life cycle
19. Creating an Executable Applet
20. Graphics in Applet
21. Applet image display
22. Applet mouse event handling
23. JDBC
24. Execute an SQL Statement
25. Process the result
26. CLOSE THE DATABASE CONNECTION
27. File handling
28. Define a class to declare an integer array of size n and accept the elements into the array.
29. Define a class to declare an array of size 20 of the double datatype, accept the elements into the array and perform the following: Calculate and print the sum of all the elements.
30. Java program for String, to uppercase, to equal, length of string
31. Write a Java program for Buble sort.
32. Write a Java program String to uppercase and count words startig with 'A'
33. How to set path in Java
34. Understanding public static void main (String args[]){ } in Java
35. Difference between static and non static methods in Java