

C++	JAVA
Platform dependent.	Platform independent.
Mainly used for system programming.	Mainly used for application programming.
Support multiple inheritances.	Does not support multiple inheritance.
Support goto statement.	Does not support goto statement.
Support operator overloading.	Does not support operator overloading
Uses compiler only.	Uses compiler and interpreter both.
Supports both call by value and call by reference.	Supports call by value only.
Support structures.	Does not support structures.
No built in thread support. Depends on third party libraries.	Built in thread support.
Does not support documentation comment.	Support documentation comments.

Related Posts:

1. Can Java have same name variable
2. Types of variables in Java programming
3. JAVA and its Support Systems
4. JAVA environment
5. JAVA program structure
6. Tokens
7. Java statements
8. Java virtual machine

9. Constants and Variables in Java
10. Data types JAVA
11. Defining a class
12. Constructor in JAVA
13. Array in Java
14. Applet
15. Applets Vs Applications
16. Writing applets
17. Applets life cycle
18. Creating an Executable Applet
19. Graphics in Applet
20. Applet image display
21. Applet digital clock
22. Applet mouse event handling
23. JDBC
24. Execute an SQL Statement
25. Process the result
26. CLOSE THE DATABASE CONNECTION
27. File handling
28. Define a class to declare an integer array of size n and accept the elements into the array.
29. Define a class to declare an array of size 20 of the double datatype, accept the elements into the array and perform the following: Calculate and print the sum of all the elements.
30. Java program for String, to uppercase, to equal, length of string
31. Write a Java program for Bubble sort.
32. Write a Java program String to uppercase and count words starting with 'A'

- 33. How to set path in Java
- 34. Understanding public static void main (String args[]){ } in Java
- 35. Difference between static and non static methods in Java