

## Table of Contents



### Types of messages

#### Call Message

The two basic components necessary in a call message are

In addition to this, a call message normally has following fields

RPC call message format

#### Reply Message

A Successful Reply Message Format

A Unsuccessful Reply Message Format

Related posts:

There are two types of messages involved in the implementation of an RPC system.

## Types of messages

1. Call Message
2. Reply Message

## Call Message

This message is sent by the client to the server for requesting execution of a particular remote procedure.

The two basic components necessary in a call message are

1. The arguments necessary for the execution of the procedure.
2. The identification information of remote procedure to be executed.

In addition to this, a call message normally has following fields

- A message type field: To distinguish call messages from reply messages.
- A client identification field: To permit server to check the authentication of client process for executing the concerned procedure.
- A message identification field: To consists of sequence numbers to identify duplicates.

### RPC call message format

Message Identifier	Message Type	Client Identifier	Program No	Version No	Procedure No	Arguments
--------------------	--------------	-------------------	------------	------------	--------------	-----------

---

## Reply Message

If the RPC server receives a call message from client, it could be faced with one of the following conditions.

- The specified remote procedure is executed successfully.
- An exception condition occurs while executing the specified remote procedure.
- The server finds that the call message is not intelligible to it.
- The server detects by scanning the clients identifier field that the client is not authorized to use the service.
- The server finds that the remote program, version or procedure number is not available with it.

### A Successful Reply Message Format

Message identifier	Message Type	Reply status(0) (Successful)	Result
--------------------	--------------	------------------------------	--------

## A Unsuccessful Reply Message Format

Message Identifier	Message Type	Reply status (1)(Unsuccessful)	Result for Failure
--------------------	--------------	-----------------------------------	--------------------

### Related Posts:

1. RPC Implementation
2. RPC mechanism
3. Advantages Disadvantages of DS
4. Distributed computing models
5. Goals of DS
6. Hardware software concepts
7. Issues in designing ds
8. Design and Implementation Issues DS
9. Structure of share memory space
10. DSM Architecture & its Types
11. File Application & Fault tolerance
12. File service architecture
13. Desirable features of good distributed file system
14. Distributed shared memory
15. Election algorithm
16. Client server communication
17. Datarepresentation and Marshalling
18. Communication between distributed objects
19. Load distributing algorithm
20. Task migration and its issues
21. Deadlock issues in deadlock detection & resolution
22. Distributed Scheduling-Issues in Load Distributing

- 23. Characteristics of Multimedia Data
- 24. Case Study of Distributed System
- 25. Distributed multimedia system
- 26. Distributed DBMS
- 27. Advantages of DDBMS over centralised DBMS